

| Ref # | Hits | Search Query | DBs | Default Operat or | Plural s | Time Stamp |
|-------|--------|--|----------------------------|-------------------|----------|------------------|
| L1 | 65925 | (pressure near4 (measur\$4 detect\$4 sens\$4 indicat\$5 monitor\$4 gage gauge cell transducer)).clm. | US-PGPU B; USPAT; EPO; JPO | OR | OFF | 2005/10/17 09:17 |
| L2 | 48271 | ((stress force load strain) near4 (measur\$4 detect\$4 sens\$4 indicat\$5 monitor\$4 gage gauge cell transducer)).clm. | US-PGPU B; USPAT; EPO; JPO | OR | OFF | 2005/10/17 09:18 |
| L3 | 184 | 2 and (resist\$5 near4 (film layer sheet) near4 contact) | US-PGPU B; USPAT; EPO; JPO | OR | ON | 2005/10/17 09:19 |
| L4 | 305076 | ((stress force load strain) near4 (measur\$4 detect\$4 sens\$4 indicat\$5 monitor\$4 gage gauge cell transducer)) | US-PGPU B; USPAT; EPO; JPO | OR | OFF | 2005/10/17 09:18 |
| L5 | 50 | 3 and ((pair two) near4 electrode) | US-PGPU B; USPAT; EPO; JPO | OR | ON | 2005/10/17 09:19 |
| L6 | 1332 | 4 and (resist\$5 near4 (film layer sheet) near4 contact) | US-PGPU B; USPAT; EPO; JPO | OR | ON | 2005/10/17 09:19 |
| L7 | 50 | 5 and (resist\$5 near4 (film layer sheet) near4 contact) | US-PGPU B; USPAT; EPO; JPO | OR | ON | 2005/10/17 09:19 |
| L8 | 1332 | 6 and (resist\$5 near4 (film layer sheet) near4 contact) | US-PGPU B; USPAT; EPO; JPO | OR | ON | 2005/10/17 09:19 |
| L9 | 345 | 6 and ((pair two) near4 electrode) | US-PGPU B; USPAT; EPO; JPO | OR | ON | 2005/10/17 09:19 |
| L10 | 9 | 9 and (radial near3 (direction orientation)) | US-PGPU B; USPAT; EPO; JPO | OR | ON | 2005/10/17 09:20 |
| L11 | 3 | 7 and (radial near3 (direction orientation)) | US-PGPU B; USPAT; EPO; JPO | OR | ON | 2005/10/17 09:20 |
| L12 | 9 | 10 and conduct\$5 | US-PGPU B; USPAT; EPO; JPO | OR | ON | 2005/10/17 09:20 |

| | | | | | | |
|-----|---|-------------------|----------------------------------|----|----|---------------------|
| L13 | 3 | 11 and conduct\$5 | US-PGPU B; USPAT; EPO; JPO | OR | ON | 2005/10/17 09:20 |
| L14 | 3 | 11 and voltage | US-PGPU B; USPAT; EPO; JPO | OR | ON | 2005/10/17 09:21 |

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--------------------------|----------------------------------|------------------|---------|---------------------|
| L15 | 209 | 73/862.473-862.474.ccls. | US-PGPU B; USPAT; EPO; JPO | OR | ON | 2005/10/17 09:38 |

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|----------------------------|------------------|---------|------------------|
| L16 | 5 | ((stress force load strain) near4 (measur\$4 detect\$4 sens\$4 indicat\$5 monitor\$4 gage gauge cell transducer)) and (resist\$5 near4 (film layer sheet) near4 contact) and (radial near4 (direction orientation)) and (conduct\$5) and voltage.clm. | US-PGPU B; USPAT; EPO; JPO | OR | OFF | 2005/10/17 09:45 |

Interference Search at 10/17/05